

PRODUCT
ANALOG CAMERA

Dome Camera



HSB7220F

- High Sensitive 1/3" SONY Super HAD Color CCD
- Built-in Fixed 3.8mm, 6mm, 8mm Lens
- High Resolution : 540 TV Lines
- Min. Illumination : 0.3 Lux
- White Balance ATW/AWC mode
- AGC & BLC On/OFF
- 100mm Dome Size

Specification

ITEM	NTSC	PAL
Image Sensor	1/3" SONY Super HAD Color CCD	
Scanning System	2:1 Interlace	
Scanning Frequency(H)	15.734 KHz	15.625kHz
Scanning Frequency(V)	59.94 Hz	50Hz
Sync. System	Internal	
Total Pixels Number	811(H) x 580(V) 410K	795(H) x 596(V) 470K
Effective Pixels Number	768(H) x 494(V) 380K	752(H) x 582(V) 440K
Horizontal Resolution	540 TV Lines	
Video Output Level	1.0 Vp-p (75 Ohms, Composite)	
S/N Ratio	More than 48dB (AGC Off)	
Lens	Built-in Fixed Lens (3.8mm)	Built-in Fixed Lens (3.8mm)
Iris Control	Fixed	
Min. Illumination	0.3Lux (30IRE, AGC: Max)	
DIP SW	AGC On/Off, BLC On/Off	
White Balance	Auto	
Focus Mode	Manual	
Electronic Shutter Speed	Auto (1/60~1/10,000)	Auto (1/50~1/10,000)
Supplied Voltage	DC 9V ~ 15V (Recommendation DC12±0.5V)	
Power Consumption	150mA / 1.8W(max.)	
Dimensions	100(Ø)	
Weight (Net)	Approx. 280g	